

Hopper Barge Gere R



Hopper Barge

Gere R

The self-propelled split hopper barge, Gere R, has been purpose-built for the transport of all types of dredged materials.

Schottel azimuth propulsion 360 degree steerable and with two bow thrusters giving maximum maneuverability.

This hopper barge can therefore be offered to a wide range of projects, and provide a continuous and effective service to any dredger.

The split hopper hull is designed for quick discharge of all different sorts of soil.

The two engine rooms are equipped with powerful Cummins engines, fully electronically controlled and easy to maintain, securing continuous and high productivity.

The barge is equipped with all the latest environmental technology, meeting and exceeding current regulations and industry standards. RESON PDS 2000 allows for optimal and accurate operation, as well as precise load measurement.


Specifications

IMO 9808869
Call sign PCTT
MMSI 244643000
Gross Tonnage 1,460GT
LOA 68.40m
Breadth 14.00m
Hopper capacity 1,517m³
Draught loaded 4.27m

Draught unloaded 2.90m
Main engine 2x596kW
Bow thruster 235kW
Total power installed 1,617kW
Speed 6.5kn
Flag Dutch
Class Bureau Veritas

Nordic mythology

Gere and Freke are Odin's wolves, who help him in war. Both names are Norse for "greedy". Whenever Odin is offered food, he will pass it on to his wolves.





Hopper Barge

Freke R

The self-propelled split hopper barge Freke R has been purpose-built for the transport of all types of dredged materials.

This hopper barge can therefore be offered to a wide range of projects and provide a continuous and effective service to any dredger.

The split hopper hull is designed for quick discharge of all different sorts of soil.

The two engine rooms are equipped with powerful Cummins engines, fully electronically controlled and easy to maintain, securing continuous and high productivity.

The barge is equipped with all the latest environmental technology, meeting and exceeding current regulations and industry standards. RESON PDS 2000 allows for optimal and accurate operation, as well as precise load measurement.

Specifications

| | | | |
|-----------------------|---------------------|-----------------------------|----------------|
| IMO | 9808871 | Draught unloaded | 2.90m |
| Call sign | PCTU | Main engine | 2x596kW |
| MMSI | 244645000 | Bow thruster | 235kW |
| Gross Tonnage | 1,460GT | Total power installed | 1,617kW |
| LOA | 68.40m | Speed | 6.5kn |
| Breadth | 14.00m | Flag | Dutch |
| Hopper capacity | 1,517m ³ | Class | Bureau Veritas |
| Draught loaded | 4.27m | | |

Nordic mythology

Freke and Gere are Odin's wolves, who help him in war. Both names are Norse for "greedy". Whenever Odin is offered food, he will pass it on to his wolves.

