



Hopper Barge

Roar R

The self-propelled split hopper barge, Roar R, has been purpose-built for the transport of all types of dredged materials.

This hopper barge can therefore be offered to a wide range of projects, and provides a continuous and effective service to any dredger.

The split hopper hull is designed for quick discharge of all different sorts of soil.

The two engine rooms are equipped with powerful CAT C18 engines, fully electronically controlled and easy to maintain, securing continuous and high productivity.


The barge is equipped with all the latest environmental technology, meeting and exceeding current regulations and industry standards. Furthermore, Roar R operates solely with biodegradable hydraulic oils and lubricants. RESON PDS 2000 allows for optimal and accurate operations, as well as precise load measurement.

Specifications

IMO	7906801	Draught unloaded	1.8m
Call sign	PBYZ	Main engine	2x339kW
MMSI	246819000	Total power installed	850kW
Gross tonnage	918GT	Speed ballast	8.0kn
LOA	60.3m	Speed loaded	6.0kn
Breadth	11.0m	Flag	Dutch
Hopper capacity	950m ³	Class	Bureau Veritas
Draught loaded	3.5m		

Nordic mythology

Roar and his brother **Helge** were legendary kings of Denmark. Roar governed the capital, while his brother roamed the seas on his infamous Viking raids, expanding the kingdom.





Hopper Barge

Helge R

The self-propelled split hopper barge, Helge R has been purpose-built for the transport of all types of dredged materials.

This hopper barge can therefore be offered to a wide range of projects, and provide a continuous and effective service to any dredger.

The split hopper hull is designed for quick discharge of all different sorts of soil.

The two engine rooms are equipped with powerful CAT C18 engines, fully electronically controlled, and easy to maintain, securing continuous and high productivity.

The barge is equipped with all the latest environmental technology, meeting and exceeding current regulations and industry standards. Furthermore, Helge R operates solely with biodegradable hydraulic oils and lubricants. RESON PDS 2000 allows for optimal and accurate operation, as well as precise load measurement.

Specifications

IMO	8861711	Draught unloaded	1.8m
Call sign	PBSW	Main engine	2x339kW
MMSI	246818000	Total power installed	850kW
Gross tonnage	918GT	Speed ballast	8.0kn
LOA	60.3m	Speed loaded	6.0kn
Breadth	11.0m	Flag	Dutch
Hopper capacity	950m ³	Class	Bureau Veritas
Draught loaded	3.5m		

Nordic mythology

Helge and his brother Roar were legendary kings of Denmark. Helge roamed the seas on his infamous Viking raids, expanding the kingdom, while his brother governed the capital.

